

FEDERAL BUREAU OF INVESTIGATION
FOI/PA
DELETED PAGE INFORMATION SHEET
FOI/PA# 1314953-1

Total Deleted Page(s) = 23
Page 1 ~ Duplicate;
Page 2 ~ Duplicate;
Page 3 ~ b1; b3; b5; b6; b7C; b7E;
Page 4 ~ b1; b3; b5; b6; b7C; b7E;
Page 5 ~ b1; b3; b5; b6; b7C; b7E;
Page 6 ~ b1; b3; b5; b6; b7C; b7E;
Page 7 ~ b1; b3; b5; b6; b7C; b7E;
Page 8 ~ b1; b3; b5; b7E;
Page 9 ~ Duplicate;
Page 10 ~ Duplicate;
Page 11 ~ Duplicate;
Page 15 ~ Referral/Consult;
Page 16 ~ Referral/Consult;
Page 17 ~ Referral/Consult;
Page 18 ~ Referral/Consult;
Page 19 ~ Referral/Consult;
Page 20 ~ Referral/Consult;
Page 21 ~ Referral/Consult;
Page 22 ~ Referral/Consult;
Page 23 ~ Referral/Consult;
Page 24 ~ Referral/Consult;
Page 25 ~ Referral/Consult;
Page 26 ~ Referral/Consult;

XXXXXXXXXXXXXXXXXXXXXXXXXXXXX
X Deleted Page(s) X
X No Duplication Fee X
X For this Page X
XXXXXXXXXXXXXXXXXXXXXXXXXXXXX

ALL FBI INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 11-02-2015 BY C66W46B11 NSICG

COPY

FEDERAL COMMUNICATIONS
COMMISSION
WASHINGTON, D.C. 20554

COPY

GRANT OF EQUIPMENT
AUTHORIZATION
Certification

Digital Receiver Technology, Inc.
20250 Century Blvd Suite 300P.O. Box ,
Germantown, MD 20874
United States

Date of Grant: 06/10/2012

Application Dated: 02/09/2012

Attention: Richard Hoagland , Manager, Power Systems and Peripherals

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: XLM1183C

Name of Grantee: Digital Receiver Technology, Inc.

Equipment Class: PCS Licensed Transmitter

Notes: Wireless telecommunications survey,
measure and test device.

Modular Type: Does not apply

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	869.0 - 894.0	0.151	2.5 PM	234KGXW
	24E	1930.2 - 1989.8	0.156	2.5 PM	236KGXW
	90	851.0 - 869.0	0.017	2.5 PM	17K7D7W
	22H	869.2 - 893.8	0.026	2.5 PM	1M24F9W
	24E	1930.2 - 1989.8	0.026	2.5 PM	1M25F9W

Output is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

(1) The marketing and sale of these devices shall be limited to federal, state, local public safety and law enforcement officials only; and (2) State and local law enforcement agencies must advance coordinate with the FBI the acquisition and use of the equipment authorized under this authorization.

This application was originally granted on 05/07/2012.

Mail To:

EA403302

ALL FBI INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 11-02-2015 BY C66W46B11 NSICG

COPY

FEDERAL COMMUNICATIONS
COMMISSION
WASHINGTON, D.C. 20554

COPY

GRANT OF EQUIPMENT
AUTHORIZATION
Certification

Digital Receiver Technology, Inc.
20250 Century Blvd Suite 300 P.O. Box ,
Germantown, MD 20874
United States

Date of Grant: 04/08/2011
Application Dated: 07/28/2009

Attention: Richard Hoagland , Manager, Power Systems and Peripherals

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's Rules
and Regulations listed below.

FCC IDENTIFIER: XLM1201B

Name of Grantee: Digital Receiver Technology, Inc.

Equipment Class: PCS Licensed Transmitter

Notes: Wireless telecommunications survey,
measure and test device.

Modular Type: Does not apply

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHz)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	869.2 - 893.8	0.01	2.5 PM	234KGXW
	22H	869.2 - 893.8	0.01	2.5 PM	1M24F9W
	24E	1930.2 - 1989.8	0.01	2.5 PM	236KGXW
	24E	1930.2 - 1989.8	0.01	2.5 PM	1M25F9W
	90	851.0 - 869.0	0.01	2.5 PM	17K7D7W

Output is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

(1) The marketing and sale of these devices shall be limited to federal, state, local public safety and law enforcement officials only; and (2) State and local law enforcement agencies must advance coordinate with the FBI the acquisition and use of the equipment authorized under this authorization.

Mail To:
Richard Smith, Director of Business Development
Digital Receiver Technology, Inc.
20250 Century Blvd.
Germantown, MD 20874

EA233652

COPY

FEDERAL COMMUNICATIONS
COMMISSION
WASHINGTON, D.C. 20554

COPY

GRANT OF EQUIPMENT
AUTHORIZATION

Certification

Digital Receiver Technology, Inc.
20250 Century Blvd Suite 300P.O. Box ,
Germantown, MD 20874
United States

Date of Grant: 04/30/2012

Application Dated: 02/07/2012

Attention: Richard Hoagland , Manager, Power Systems and Peripherals

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,
and is VALID ONLY for the equipment identified hereon for use under the
Commission's Rules and Regulations listed below.

FCC IDENTIFIER: XLM9957A1

Name of Grantee: Digital Receiver Technology, Inc.

Equipment Class: PCS Licensed Transmitter

Notes: Amplifier for wireless
telecommunications survey, measure
and test device.

Modular Type: Does not apply

<u>Grant Notes</u>	<u>FCC Rule Para</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	869.2 - 893.8	6.456	2.5 PM	234KGXW
	24E	1930.2 - 1989.8	5.37	2.5 PM	236KGXW
	90	851.0125 - 868.9875	1.306	2.5 PM	17K7D7W
	24E	1931.25 - 1988.75	1.62	2.5 PM	1M25F9W
	22H	869.7 - 893.31	1.41	2.5 PM	1M24F9W

Output is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. Users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

(1) The marketing and sale of these devices shall be limited to federal, state, local public safety and law enforcement officials only; and (2) State and local law enforcement agencies must advance coordinate with the FBI the acquisition and use of the equipment authorized under this authorization.

This application was originally granted on 04/26/2012.

Mail To: